

THE FASCINATION OF STAINLESS STEEL

KEK



CLEAN.TEC

Cleanroom equipment

Product catalogue valid from 04/2020



www.kek-dresden.com



KEK. THE FASCINATION OF STAINLESS STEEL



To find out more about our wide range of **laboratory and medical equipment** and all the different variations and options we offer, please visit the LAB.TEC section of our website at

www.kek-dresden.com



WELCOME!

The KEK philosophy

The success of our company KEK is based on our fascination with stainless steel as a material. This fascination is the passion that drives us every day to deliver innovative solutions and develop the best possible products. In the process, we are guided by fair-minded and loyal cooperation with our business partners.

These are our six main areas of business:



LAB.TEC
Laboratory and medical equipment



CLEAN.TEC
Cleanroom equipment



PROFKIT.TEC
Gastronomy and catering technology



YOURKIT.TEC
Cabinet kitchenettes, kitchen centres and compact kitchen units



YACHT.TEC
Yacht equipment



FACTORY.TEC
Factory equipment

CLEAN.TEC

As a supplier of a wide range of stainless steel products, KEK also supplies to the laboratories equipment sector.

The products for the product area CLEAN.TEC are used in technical rooms with stringent hygiene requirements. Typical sectors include the semiconductor, optical and chemical industries.

The technical design of these products satisfies the requirements for optimised care and cleaning capabilities. These products are manufactured on the basis of designs that have been fine-tuned for hygiene requirements, combined with very fine finishing of the surface of the stainless steel.

Our products comply with the following standards:

Rooms with dust exposure ISO 14644/class 1-9
(Semiconductor industry)
ECSS-Q-70-01
(Aerospace engineering)

Rooms with exposure to microbes or microorganisms VDI 2083
Cleanroom technology for the semiconductor, pharmaceutical and food industries, precision engineering, medicine, aerospace and optics y
EU GMP Annex 1 (Manufacture of Sterile Medicinal Products)



CONTENTS

CLEAN.TEC

Worktops	6-7	Transfer hatches	27
Worktops smooth	6	Waste systems	28
Worktops perforated	7	Mirrors	28
Cleanroom tables	8-9	Glove dispensers	29
Table frames	10-11	Dispenser boxes	29-30
Tabletop shelves	12	Sit-over benches	31-33
Trolleys	16-17	Sit-over benches made of melamine	31
Trolleys with smooth shelves	16	Sit-over benches made of stainless steel	33
Trolleys with perforated shelves	17	Coat racks	34
Trolley accessories	17	General information	36
Microscope table	19	Care instructions	37
Shelf units	20-24		
Shelf units with smooth shelves	20-21		
Shelf units with perforated shelves	22-23		
Additional shelves	24		



STAINLESS STEEL TROLLEY FOLDING

Are you looking for a space-saving and practical variant of a cleanroom storage trolley? If the answer is 'yes', then our award-winning folding stainless steel trolley is the perfect choice for you.

Dimensions: 800 x 500 x 1,050 mm (L x W x H)

Maximum pack size: 90 x 520 x 1,300 mm (L x W x H) Weight: 16 kg

- Easy to set up and fold away for just one person – no tools required
- Durable and long-lasting
- Lightweight
- Easy to transport
- Simple cleaning
- Versatile applications

Order no.: 5965050800





WORKTOPS


Smooth

Model / designation	Dimensions / prices							
---------------------	---------------------	--	--	--	--	--	--	--

AP 150-GL-HIG
5372164500

Tabletop in cleanroom design without perforations made of 1.5 mm thick stainless steel 1.4301, top side with a KEK finish. Tabletop with 42 mm edging on all sides, 12 mm of which is angled 15° to the inside. Corners welded and manually polished, threaded bolts on the underside for fastening on a subframe, partially clad with a profile.

Special designs such as inclined surfaces, breakthroughs or different surface finishes available on request.



Width	300	400	500	600	700	800	900
Length							
500							
600							
700							
800							
900							
1,000							
1,100							
1,200							
1,300							
1,400							
1,500							
1,600							
1,700							
1,800							
1,900							
2,000							
2,100							
2,200							
2,300							
2,400							
2,500							
2,600							
2,700							
2,800							
2,900							
3,000							
3,100							
3,200							
3,300							
3,400							
3,500							
3,600							
3,700							
3,800							



Dimensions in mm, prices in €

WORKTOPS


Perforated

Model / designation	Dimensions / prices							
---------------------	---------------------	--	--	--	--	--	--	--

AP 150-GEL-HIG
5372164600

Tabletop in cleanroom design with perforations, diameter 10 mm, holes in a grid spaced at 15 x 15 mm, made of 1.5 mm thick stainless steel 1.4301, top side with a KEK finish. Tabletop with 42 mm edging on all sides, 12 mm of which is angled 15° to the inside.
Corners welded and manually polished, threaded bolts on the underside for fastening on a subframe, partially clad with a profile.
Perforation on the upper side of the worktop manufactured using a special punching mechanism that leaves the surface completely free of burrs.
The perforation can optionally also be executed in a nest-shaped pattern.

Special designs such as inclined surfaces, breakthroughs or different surface finishes available on request.



Width	300	400	500	600	700	800	900
Length							
500							
600							
700							
800							
900							
1,000							
1,100							
1,200							
1,300							
1,400							
1,500							
1,600							
1,700							
1,800							
1,900							
2,000							
2,100							
2,200							
2,300							
2,400							
2,500							
2,600							
2,700							
2,800							
2,900							
3,000							
3,100							
3,200							
3,300							
3,400							
3,500							
3,600							
3,700							
3,800							




CLEANROOM TABLES

Square tube with unperforated worktop

Model / designation	Width	600	700	800			
 <p>RATVU-GL-HIG Cleanroom table, square tube (height 900 mm)</p> <p>Tabletop made of 1.5 mm thick stainless steel with 42 mm edging on all sides, 12 mm of which is angled 15° to the inside, smooth surface, stabilised with reinforcement depending on design and dimensions, base frame made of square tube, floor level compensation with disc-shaped feet made of CNS (+/- 10 mm)</p> <p>Material: stainless steel 1.4301, surface with KEK finish</p>	Length	Order no.	Price	Order no.	Price	Order no.	Price
	500	5372225000		5372226600		5372228200	
	600	5372225100		5372226700		5372228300	
	700	5372225200		5372226800		5372228400	
	800	5372225300		5372226900		5372228500	
	900	5372225400		5372227000		5372228600	
	1,000	5372225500		5372227100		5372228700	
	1,100	5372225600		5372227200		5372228800	
	1,200	5372225700		5372227300		5372228900	
	1,300	5372225800		5372227400		5372229000	
	1,400	5372225900		5372227500		5372229100	
	1,500	5372226000		5372227600		5372229200	
	1,600	5372226100		5372227700		5372229300	
	1,700	5372226200		5372227800		5372229400	
1,800	5372226300		5372227900		5372229500		
1,900	5372226400		5372228000		5372229600		
2,000	5372226500		5372228100		5372229700		

CLEANROOM TABLES

Square tube with perforated worktop

Model / designation	Width	600	700	800			
 <p>RATVU-GEL-HIG Cleanroom table, square tube (height 900 mm)</p> <p>Tabletop made of 1.5 mm thick stainless steel with 42 mm edging on all sides, 12 mm of which is angled 15° to the inside, Perforation (diameter 10 mm, holes in a grid spaced at 15 x 15 mm) to support laminar air flow, stabilised with reinforcement depending on design and dimensions, base frame made of square tube, floor level compensation with disc-shaped feet made of CNS (+/- 10 mm)</p> <p>Material: stainless steel 1.4301, surface with KEK finish</p>	Length	Order no.	Price	Order no.	Price	Order no.	Price
	500	5372229800		5372231400		5372233000	
	600	5372229900		5372231500		5372233100	
	700	5372230000		5372231600		5372233200	
	800	5372230100		5372231700		5372233300	
	900	5372230200		5372231800		5372233400	
	1,000	5372230300		5372231900		5372233500	
	1,100	5372230400		5372232000		5372233600	
	1,200	5372230500		5372232100		5372233700	
	1,300	5372230600		5372232200		5372233800	
	1,400	5372230700		5372232300		5372233900	
	1,500	5372230800		5372232400		5372234000	
	1,600	5372230900		5372232500		5372234100	
	1,700	5372231000		5372232600		5372234200	
1,800	5372231100		5372232700		5372234300		
1,900	5372231200		5372232800		5372234400		
2,000	5372231300		5372232900		5372234500		



Dimensions in mm, prices in €

CLEANROOM TABLES

Square tube with base shelf and unperforated worktop

Model / designation	Width	600	700	800			
 <p>RATVG-GL-HIG Cleanroom table, square tube (height 900 mm)</p> <p>Tabletop made of 1.5 mm thick stainless steel with 42 mm edging on all sides, 12 mm of which is angled 15° to the inside, smooth surface, stabilised with reinforcement depending on design and dimensions, base frame made of square tube, base shelf permanently welded-in and featuring a smooth surface, floor level compensation with disc-shaped feet made of CNS (+/- 10 mm)</p> <p>Material: stainless steel 1.4301, surface with KEK finish</p>	Length	Order no.	Price	Order no.	Price	Order no.	Price
	500	5372234600		5372236200		5372237800	
	600	5372234700		5372236300		5372237900	
	700	5372234800		5372236400		5372238000	
	800	5372234900		5372236500		5372238100	
	900	5372235000		5372236600		5372238200	
	1,000	5372235100		5372236700		5372238300	
	1,100	5372235200		5372236800		5372238400	
	1,200	5372235300		5372236900		5372238500	
	1,300	5372235400		5372237000		5372238600	
	1,400	5372235500		5372237100		5372238700	
	1,500	5372235600		5372237200		5372238800	
	1,600	5372235700		5372237300		5372238900	
	1,700	5372235800		5372237400		5372239000	
	1,800	5372235900		5372237500		5372239100	
	1,900	5372236000		5372237600		5372239200	
	2,000	5372236100		5372237700		5372239300	

CLEANROOM TABLES

Square tube with base shelf and perforated worktop

Model / designation	Width	600	700	800			
 <p>RATVG-GEL-HIG Cleanroom table, square tube (height 900 mm)</p> <p>Tabletop made of 1.5 mm thick stainless steel with 42 mm edging on all sides, 12 mm of which is angled 15° to the inside, Perforation (diameter 10 mm, holes in a grid spaced at 15 x 15 mm) to support laminar air flow, stabilised with reinforcement depending on design and dimensions, base frame made of square tube, base shelf with a perforated surface the same as the worktop, permanently welded-in, floor level compensation with disc-shaped feet made of CNS (+/- 10 mm)</p> <p>Material: stainless steel 1.4301, surface with KEK finish</p>	Length	Order no.	Price	Order no.	Price	Order no.	Price
	500	5372239400		5372241000		5372242600	
	600	5372239500		5372241100		5372242700	
	700	5372239600		5372241200		5372242800	
	800	5372239700		5372241300		5372242900	
	900	5372239800		5372241400		5372243000	
	1,000	5372239900		5372241500		5372243100	
	1,100	5372240000		5372241600		5372243200	
	1,200	5372240100		5372241700		5372243300	
	1,300	5372240200		5372241800		5372243400	
	1,400	5372240300		5372241900		5372243500	
	1,500	5372240400		5372242000		5372243600	
	1,600	5372240500		5372242100		5372243700	
	1,700	5372240600		5372242200		5372243800	
	1,800	5372240700		5372242300		5372243900	
	1,900	5372240800		5372242400		5372244000	
	2,000	5372240900		5372242500		5372244100	

Dimensions in mm, prices in €



TABLE FRAMES

Square tube

Model / designation Price in €




TGUV-HIG
Table frame,
square tube
(height 900 mm)
5372164700

Substructure for table frames in cleanroom design, upper tabletop supporting frame made of square tube and featuring (depending on the length of the tabletop) supporting brackets for reinforcement of the tabletop, feet profiles and struts made of square tube with stainless steel disc-shaped feet. Feet can be height-adjusted by +/- 10 mm.

Material: stainless steel 1.4301, surface with KEK finish

Width	550	650	750
Length			
450			
550			
650			
750			
850			
950			
1,050			
1,150			
1,250			
1,350			
1,450			
1,550			
1,650			
1,750			
1,850			
1,950			



TGVG-GL-HIG
Table frame, square tube
with smooth base shelf
(height 900 mm)
5372164800

Substructure for table frames in cleanroom design, upper tabletop supporting frame made of square tube and featuring (depending on the length of the tabletop) supporting brackets for reinforcement of the tabletop, feet profiles made of square tube with stainless steel disc-shaped feet. Feet can be height-adjusted by +/- 10 mm.

Equipped with a welded, smooth base shelf.

Material: stainless steel 1.4301, surface with KEK finish


Width	550	650	750
Length			
450			
550			
650			
750			
850			
950			
1,050			
1,150			
1,250			
1,350			
1,450			
1,550			
1,650			
1,750			
1,850			
1,950			



Dimensions in mm, prices in €

TABLE FRAMES

Square tube

Model	Designation	Price in €		
 <p>TGVG-GEL-HIG Table frame, square tube with perforated base shelf (height 900 mm) 5372164900</p> <p>Substructure for table frames in cleanroom design, upper tabletop supporting frame made of square tube and featuring (depending on the length of the tabletop) supporting brackets for reinforcement of the tabletop, feet profiles made of square tube with stainless steel disc-shaped feet.</p> <p>Feet can be height-adjusted by +/- 10 mm.</p> <p>Equipped with a welded, perforated base shelf, with perforations (diameter 10 mm, holes in a grid spaced at 15 x 15 mm)</p> <p>Material: stainless steel 1.4301, surface with KEK finish</p>	Width	550	650	750
	Length	450		
		550		
		650		
		750		
		850		
		950		
		1,050		
		1,150		
		1,250		
		1,350		
		1,450		
		1,550		
		1,650		
	1,750			
	1,850			
	1,950			

FURNITURE ACCESSORIES



Height-adjustable work tables and table frames are available on request.





TABLETOP SHELVES

Made of stainless steel 1.4301.



TAB-1-HIG
Tabletop shelf
5372440900

1 shelf



TAB-2-HIG
Tabletop shelf
5372441000

2 shelves

Length	TAB-1-HIG	TAB-2-HIG
500		
600		
700		
800		
900		
1,000		
1,100		
1,200		
1,300		
1,400		
1,500		
1,600		
1,700		
1,800		
1,900		
2,000		
2,100		
2,200		
2,300		
2,400		



Dimensions in mm, prices in €

KEK . THE FASCINATION OF STAINLESS STEEL





CLEANROOM EQUIPMENT

made of stainless steel

This section contains products made of stainless steel for vented cleanrooms, where the horizontal surfaces of the products used permit vertical air flow, as well as furniture for transfer hatches made of stainless steel and melamine resin-coated particle board. The roughness of the stainless steel furniture is at least $Ra = 0.4 \mu m$ so that dust particles do not become trapped in or adhere to the surface. Additional furniture can be found in our LAB.TEC catalogue.

Detailed views




Square tube



Round tube



Perforation diameter 5 mm,
holes in a
grid spaced at 16 x 16 mm



Perforation diameter 8 mm,
holes in a
grid spaced at 15 x 15 mm



Perforation diameter 10 mm, holes
in a grid spaced at 15 x 15 mm



Cleanroom cabinet



Laminar flow box



CLEANROOM EQUIPMENT

made of melamine resin-coated particle board



Cleanroom cupboards



Cleanroom wardrobe



Cleanroom wardrobe

- Basic material: melamine resin-coated particle board
- Available as complete or modular systems
- Customer-specific designs, including the size and number of hangers
- Optional doors



Melamine sit-over bench

- Basic material: melamine resin-coated particle board
- With a cleanroom-appropriate seating surface made of stainless steel, plastic or melamine resin-coated particle board
- Customer-specific designs, including the size and distribution of compartments, numbering for personal allocation, pass-through flaps, single or double-sided versions






Transfer hatch furniture



TROLLEYS

with smooth shelves

Cleanroom trolley with smooth or perforated shelf, comprising a shelf and square tube profiles with swivel castors, made of stainless steel (1.4301/AISI 304), functional surfaces with a KEK finish, shelf either with a smooth surface or perforations (diameter 10 mm, holes in a grid spaced at 15 x 15 mm to support laminar air flow), shelf permanently welded-in, stabilised with reinforcements depending on design and dimensions, square tube profiles closed off at the top with a plastic cap, 4 electrically conductive swivel castors, 2 of which are lockable

Model / designation	Width	400	500	600			
 <p>RTW-1-GL-HIG</p> <p>Trolley consisting of shelf, square tube profiles, handlebar and swivel castors.</p> <p>Trolley height 1,000 mm with 1 smooth shelf</p> <p>Price incl. handlebar</p>	Length	Order no.	Price	Order no.	Price	Order no.	Price
	800	5372289800		5372289900		5372290000	
	900	5372290100		5372290200		5372290300	
	1,000	5372290400		5372290500		5372290600	
	1,100	5372290700		5372290800		5372290900	
	1,200	5372291000		5372291100		5372291200	
 <p>RTW-2-GL-HIG</p> <p>Trolley consisting of shelf, square tube profiles and swivel castors.</p> <p>Trolley height 1,000 mm with 2 smooth shelves</p> <p>Price without handlebar</p>	Length	Order no.	Price	Order no.	Price	Order no.	Price
	800	5372292800		5372292900		5372293000	
	900	5372293100		5372293200		5372293300	
	1,000	5372293400		5372293500		5372293600	
	1,100	5372293700		5372293800		5372293900	
	1,200	5372294000		5372294100		5372294200	
 <p>RTW-3-GL-HIG</p> <p>Trolley consisting of shelf, square tube profiles and swivel castors.</p> <p>Trolley height 1,000 mm with 3 smooth shelves</p> <p>Price without handlebar</p>	Length	Order no.	Price	Order no.	Price	Order no.	Price
	800	5372295800		5372295900		5372296000	
	900	5372296100		5372296200		5372296300	
	1,000	5372296400		5372296500		5372296600	
	1,100	5372296700		5372296800		5372296900	
	1,200	5372297000		5372297100		5372297200	




Further dimensions and designs with round tube profiles available on request.



Dimensions in mm, prices in €

TROLLEYS

with perforated shelves

Model / designation	Width	400	500	600			
 <p>RTW-1-GEL-HIG</p> <p>Trolley consisting of shelf, square tube profiles, handlebar and swivel castors.</p> <p>Trolley height 1,000 mm with 1 perforated shelf</p> <p>Price incl. handlebar</p>	Length	Order no.	Price	Order no.	Price	Order no.	Price
	800	5372291300		5372291400		5372291500	
	900	5372291600		5372291700		5372291800	
	1,000	5372291900		5372292000		5372292100	
	1,100	5372292200		5372292300		5372292400	
	1,200	5372292500		5372292600		5372292700	
 <p>RTW-2-GEL-HIG</p> <p>Trolley consisting of shelf, square tube profiles and swivel castors.</p> <p>Trolley height 1,000 mm with 2 perforated shelves</p> <p>Price without handlebar</p>	Length	Order no.	Price	Order no.	Price	Order no.	Price
	800	5372294300		5372294400		5372294500	
	900	5372294600		5372294700		5372294800	
	1,000	5372294900		5372295000		5372295100	
	1,100	5372295200		5372295300		5372295400	
	1,200	5372295500		5372295600		5372295700	
 <p>RTW-3-GEL-HIG</p> <p>Trolley consisting of shelf, square tube profiles and swivel castors.</p> <p>Trolley height 1,000 mm with 3 perforated shelves</p> <p>Price without handlebar</p>	Length	Order no.	Price	Order no.	Price	Order no.	Price
	800	5372297300		5372297400		5372297500	
	900	5372297600		5372297700		5372297800	
	1,000	5372297900		5372298000		5372298100	
	1,100	5372298200		5372298300		5372298400	
	1,200	5372298500		5372298600		5372298700	

Trolley accessories

Model	Designation	Price in €
	<p>RTW-ZUB-HIG 5372183300</p> <p>Handlebar, welded-on</p>	

Further dimensions and designs with round tube profiles available on request.

Dimensions in mm, prices in €



KEK . THE FASCINATION OF STAINLESS STEEL



MICROSCOPE TABLE

made of round or square tube

Model	Designation	Order no.	Price in €
-------	-------------	-----------	------------

Microscope table made of round tube

Dimensions

Length: 1200 mm

Width: 800 mm

Height: 780 mm

Comprising:

- Worktop with table frame 1200 x 800 x 780 mm,
- Worktop type: AP150-GEL-HIG with perforation, hole diameter 10 mm, holes spaced 15 x 15 mm, with 42 mm edging on all sides, 12 mm of which is angled 15° to the inside, with 1 cutout at the front for the granite plate
- Table frame type: TGRU-HIG made of round tube with 3-sided (U-shaped) struts and stainless steel disc-shaped feet, height-adjustable by +/- 10 mm, material 1.4301, surface with a KEK finish,
- Table frame for granite plate 1020 x 500 x 670 mm,
- Table frame type: TGRU-HIG made of round tube with 3-sided (U-shaped) struts and stainless steel disc-shaped feet, height-adjustable by +/- 10 mm
- Material 1.4301, surface with a KEK finish
- 1 granite plate with vibration damping measuring 450 x 500 x 80 mm, material: Tarn Grey Granite, surface polished on all sides, sharp edges removed

Microscope table made of square tube

Dimensions

Length: 1200 mm

Width: 800 mm

Height: 780 mm

Comprising:

- Worktop with table frame 1200 x 800 x 780 mm,
- Worktop type: AP150-GEL-HIG with perforation, hole diameter 10 mm, holes spaced 15 x 15 mm, with 42 mm edging on all sides, 12 mm of which is angled 15° to the inside, with 1 cutout at the front for the granite plate
- Table frame type: TGVU-HIG made of square tube with 3-sided (U-shaped) struts and stainless steel disc-shaped feet, height-adjustable by +/- 10 mm, material 1.4301, surface with a KEK finish,
- Table frame for granite plate 1020 x 500 x 670 mm,
- Table frame type: TGVU-HIG made of square tube with 3-sided (U-shaped) struts and stainless steel disc-shaped feet, height-adjustable by +/- 10 mm
- Material 1.4301, surface with a KEK finish
- 1 granite plate with vibration damping measuring 450 x 500 x 80 mm, material: Tarn Grey Granite, surface polished on all sides, sharp edges removed



Dimensions in mm, prices in €



SHELF UNITS

with smooth shelves

Cleanroom shelf unit consisting of a base frame with welded shelves. Material stainless steel (1.4301/AISI 304), functional surfaces with a KEK finish, base frame made of square tube, top ends closed off with plastic caps, floor level compensation with disc-shaped feet made of CNS (+/- 10 mm), shelves, edging on all sides, permanently welded-in, smooth surface, stabilised with reinforcement depending on design and dimensions

Model / designation	Width	400	500	600			
 <p>RR-3-GL-HIG Cleanroom shelf unit with 3 smooth shelves Shelf unit height 900 mm</p>	Length	Order no	Price	Order no	Price	Order no.	Price
	500	5372263400		5372263500		5372263600	
	600	5372263700		5372263800		5372263900	
	700	5372264000		5372264100		5372264200	
	800	5372264300		5372264400		5372264500	
	900	5372264600		5372264700		5372264800	
	1,000	5372264900		5372265000		5372265100	
	1,100	5372265200		5372265300		5372265400	
	1,200	5372265500		5372265600		5372265700	
	1,300	5372265800		5372265900		5372266000	
	1,400	5372266100		5372266200		5372266300	
	1,500	5372266400		5372266500		5372266600	
	 <p>RR-4-GL-HIG Cleanroom shelf unit with 4 smooth shelves Shelf unit height 1,350 mm</p>	Length	Order no	Price	Order no	Price	Order no
500		5372270000		5372270100		5372270200	
600		5372270300		5372270400		5372270500	
700		5372270600		5372270700		5372270800	
800		5372270900		5372271000		5372271100	
900		5372271200		5372271300		5372271400	
1,000		5372271500		5372271600		5372271700	
1,100		5372271800		5372271900		5372272000	
1,200		5372272100		5372272200		5372272300	
1,300		5372272400		5372272500		5372272600	
1,400		5372272700		5372272800		5372272900	
1,500		5372273000		5372273100		5372273200	



Further dimensions and designs with round tube profiles available on request.



Dimensions in mm, prices in €

SHELF UNITS

with smooth shelves

Model / designation	Width	400	500	600			
 <p>RR-5-GL-HIG Cleanroom shelf unit with 5 smooth shelves Shelf unit height 1,750 mm</p>	Length	Order no.	Price	Order no.	Price	Order no.	Price
	500	5372276600		5372276700		5372276800	
	600	5372276900		5372277000		5372277100	
	700	5372277200		5372277300		5372277400	
	800	5372277500		5372277600		5372277700	
	900	5372277800		5372277900		5372278000	
	1,000	5372278100		5372278200		5372278300	
	1,100	5372278400		5372278500		5372278600	
	1,200	5372278700		5372278800		5372278900	
	1,300	5372279000		5372279100		5372279200	
	1,400	5372279300		5372279400		5372279500	
	1,500	5372279600		5372279700		5372279800	
	 <p>RR-6-GL-HIG Cleanroom shelf unit with 6 smooth shelves Shelf unit height 2,150 mm</p>	Length	Order no.	Price	Order no.	Price	Order no.
500		5372283200		5372283300		5372283400	
600		5372283500		5372283600		5372283700	
700		5372283800		5372283900		5372284000	
800		5372284100		5372284200		5372284300	
900		5372284400		5372284500		5372284600	
1,000		5372284700		5372284800		5372284900	
1,100		5372285000		5372285100		5372285200	
1,200		5372285300		5372285400		5372285500	
1,300		5372285600		5372285700		5372285800	
1,400		5372285900		5372286000		5372286100	
1,500		5372286200		5372286300		5372286400	

Further dimensions and designs with round tube profiles available on request.




SHELF UNITS

with perforated shelves

Cleanroom shelf unit consisting of a base frame with welded shelves. Material stainless steel (1.4301/AISI 304), functional surfaces with a KEK finish, base frame made of square tube, top ends closed off with plastic caps, floor level compensation with disc-shaped feet made of CNS (+/- 10 mm), shelves, edging on all sides, permanently welded-in, perforated surface (hole diameter 10 mm, holes in a grid spaced at 15 x 15 mm to support laminar air flow), stabilised with reinforcement depending on design and dimensions

Model / designation	Width	400	500	600			
 <p>RR-3-GEL-HIG Cleanroom shelf unit with 3 perforated shelves Shelf unit height 900 mm</p>	Length	Order no.	Price	Order no.	Price	Order no.	Price
	500	5372266700		5372266800		5372266900	
	600	5372267000		5372267100		5372267200	
	700	5372267300		5372267400		5372267500	
	800	5372267600		5372267700		5372267800	
	900	5372267900		5372268000		5372268100	
	1,000	5372268200		5372268300		5372268400	
	1,100	5372268500		5372268600		5372268700	
	1,200	5372268800		5372268900		5372269000	
	1,300	5372269100		5372269200		5372269300	
	1,400	5372269400		5372269500		5372269600	
	1,500	5372269700		5372269800		5372269900	

 <p>RR-4-GEL-HIG Cleanroom shelf unit with 4 perforated shelves Shelf unit height 1,350 mm</p>	Length	Order no.	Price	Order no.	Price	Order no.	Price
	500	5372273300		5372273400		5372273500	
	600	5372273600		5372273700		5372273800	
	700	5372273900		5372274000		5372274100	
	800	5372274200		5372274300		5372274400	
	900	5372274500		5372274600		5372274700	
	1,000	5372274800		5372274900		5372275000	
	1,100	5372275100		5372275200		5372275300	
	1,200	5372275400		5372275500		5372275600	
	1,300	5372275700		5372275800		5372275900	
	1,400	5372276000		5372276100		5372276200	
	1,500	5372276300		5372276400		5372276500	

Further dimensions and designs with round tube profiles available on request.



Dimensions in mm, prices in €

SHELF UNITS

with perforated shelves

Model / designation	Width	400	500	600
---------------------	-------	-----	-----	-----



RR-5-GEL-HIG

Cleanroom shelf unit with 5 perforated shelves

Shelf unit height 1,750 mm

Length	Order no.	Price	Order no.	Price	Order no.	Price
500	5372279900		5372280000		5372280100	
600	5372280200		5372280300		5372280400	
700	5372280500		5372280600		5372280700	
800	5372280800		5372280900		5372281000	
900	5372281100		5372281200		5372281300	
1,000	5372281400		5372281500		5372281600	
1,100	5372281700		5372281800		5372281900	
1,200	5372282000		5372282100		5372282200	
1,300	5372282300		5372282400		5372282500	
1,400	5372282600		5372282700		5372282800	
1,500	5372282900		5372283000		5372283100	



RR-6-GEL-HIG

Cleanroom shelf unit with 6 perforated shelves

Shelf unit height 2,150 mm


Length	Order no.	Price	Order no.	Price	Order no.	Price
500	5372286500		5372286600		5372286700	
600	5372286800		5372286900		5372287000	
700	5372287100		5372287200		5372287300	
800	5372287400		5372287500		5372287600	
900	5372287700		5372287800		5372287900	
1,000	5372288000		5372288100		5372288200	
1,100	5372288300		5372288400		5372288500	
1,200	5372288600		5372288700		5372288800	
1,300	5372288900		5372289000		5372289100	
1,400	5372289200		5372289300		5372289400	
1,500	5372289500		5372289600		5372289700	


Further dimensions and designs with round tube profiles available on request.



SHELF UNITS

Additional shelves

Model / designation	Width	400	500	600
 RRGL-ZUB-HIG 5372182500 Smooth shelf	Length			
	500			
	600			
	700			
	800			
	900			
	1,000			
	1,100			
	1,200			
	1,300			
	1,400			
1,500				

Model / designation	Width	400	500	600
 RRGEL-ZUB-HIG 5372182600 Perforated shelf	Length			
	500			
	600			
	700			
	800			
	900			
	1,000			
	1,100			
	1,200			
	1,300			
	1,400			
1,500				



Dimensions in mm, prices in €

KEK . THE FASCINATION OF STAINLESS STEEL



Transfer hatch furniture with sit-over bench

- Basic material: melamine resin-coated particle board



KEK . THE FASCINATION OF STAINLESS STEEL



TRANSFER HATCHES

Transfer hatches are available in active and passive variants. They have electric door locks on both sides, and the interior chamber is executed with R20 radii. Material: Stainless steel 1.4301.

Model	Designation	Order no.	Price in €
	EMS-PA-CLE Passive design Internal dimensions : L x W x H 600 x 595 x 600 mm External dimensions : L x W x H 790 x 645 x 780 mm Incl. electric interlock	5272177500	



The transfer hatches are manufactured to order for each specific project. The dimensions can be adapted to individual customer requirements on request. Special designs are also available on request, e.g. as corner variants.

Active material hatches are available on request


- Max. dimensions 800 x 800 x 1,200 mm
- Doors glazed on both sides
- Surface-flush panes
- Stainless steel handles
- Electric door lock control system



WASTE SYSTEMS

Model	Designation	Price in €
	Cleanroom waste bin MSA-HIG 5372134200 <ul style="list-style-type: none"> • Dimensions: 320 x 320 x 890 mm L x W x H • Material stainless steel (1.4301/AISI 304) • Removable top part with swing lid • Capacity 70 l 	
	Cleanroom waste system MSAS-HIG 5372134300 <ul style="list-style-type: none"> • Dimensions : 1010 x 490 x 1065 mm L x W x H • Material stainless steel (1.4301/AISI 304) • Removable top part with swing lid • Capacity 2x 70 l • With electrically conductive swivel castors, two of which are lockable 	




MIRRORS

Model	Designation	Dimensions LxWxH	Order no	Price in €
	Cleanroom mirror SPI-HIG	300 x 11 x 400	5372177600	
		400 x 11 x 400	5372177700	
	Material: 1.4301, Surface: 2R reflective	500 x 11 x 400	5372177800	
		600 x 11 x 400	5372177900	
	Other sizes available on request.	600 x 11 x 500	5372178000	
		500 x 11 x 700	5372178100	
		500 x 11 x 1,800	5372613000	
		600 x 11 x 1,800	5372613100	







Dimensions in mm, prices in €

GLOVE DISPENSERS

Model	Designation	Dimensions/Prices			
		Length	Width	Height	Price in €
	HSSPQ-HIG glove dispenser 5372133900	250	93	138	<ul style="list-style-type: none"> Material stainless steel (1.4301/AISI 304) Functional surfaces with a KEK finish For loading with single packaging units Max. size of packaging unit: 250 mm x 90 mm x 132 mm 2 fastening holes on the rear for wall mounting
					
	HSSPO-HIG glove dispenser 5372134100	320	160	260	<ul style="list-style-type: none"> Material stainless steel (1.4301/AISI 304) Functional surfaces with a KEK finish For loading with gloves sterile-packaged in pairs 2 fastening holes on the rear and on one side for wall mounting

DISPENSER BOXES







Model	Designation	Order no	Length	Width	Height	Price in €
   	SPB-HIG dispenser box A SPB-1-HIG / 1 compartment B SPB-2-HIG / 2 compartments C SPB-3-HIG / 3 compartments D SPB-4-HIG / 4 compartments	A 5372298800 B 5372298900 C 5372299000 D 5372299100	200 400 600 800	200 200 200 200	600 600 600 600	<ul style="list-style-type: none"> Material: stainless steel (1.4301/AISI 304) Functional surfaces with a KEK finish For loading with various disposable articles (hoods, gloves etc.), 1-4 compartments Fold-open lid with bow handle for filling Viewing slots on the front for checking the fill level Stamped removal opening, removable collecting tray positioned underneath the removal opening 2 fastening holes on the rear for wall mounting

Dimensions in mm, Prices in €



DISPENSER BOXES

Cleanroom dispenser boxes, material stainless steel (1.4301/AISI 304), outside surfaces with a KEK finish, mill finish on the inside, front side with a 15° edge at the top (not welded), 2 fastening holes on the rear for wall mounting


Model	Designation	Order no	Length	Width	Height	Price in €
	SPB-ODF-HIG Dispenser box Fill level indicator at front	5372441100	320	160	260	
		5372441200	240	130	200	
		5372441300	300	160	120	
		5372441400	320	320	120	
		5372441500	300	300	120	
		5372441600	250	250	120	
	SPB-ODR-HIG Dispenser box Round opening for removal	5372441700	320	160	260	
		5372441800	240	130	200	
	SPB-ODFQ-HIG Dispenser box Fill level indicator with removal opening	5372442500	320	160	260	
		5372442600	240	130	200	
	SPB-DF-HIG Dispenser box Inside lid, hinged, fill level indicator at front	5372442700	320	160	260	
		5372442800	240	130	200	
		5372442900	300	160	120	
		5372443000	320	320	120	
		5372443100	300	300	120	
		5372443200	250	250	120	
	SPB-DR-HIG Dispenser box Inside lid, hinged, round opening for removal	5372443300	320	160	260	
		5372443400	240	130	200	
	SPB-DFQ-HIG Dispenser box Inside lid, hinged, fill level indicator with removal opening	5372444100	320	160	260	
		5372444200	240	130	200	




Dimensions in mm, prices in €

SIT-OVER BENCHES

made of melamine

Model	Designation	Dimensions LxWxH	Order no.		Price in €
			Colour White	Colour Grey	
 <p>Melamine sit-over bench, version with melamine plinth Material: melamine resin-coated particle board, seating surface made of melamine resin-coated particle board, customer-specific designs, including the size and distribution of compartments, numbering for personal allocation, pass-through flaps available on request</p> <p>Other dimensions available on request.</p>	HSOB 319-HIG 3 rows, 1-sided, 9 compartments	820 x 450 x 600	5372133300	5372133301	
	HSOB 3112-HIG 3 rows, 1-sided, 12 compartments	1,090 x 450 x 600	5372133400	5372133401	
	HSOB 3115-HIG 3 rows, 1-sided, 15 compartments	1,360 x 450 x 600	5372133500	5372133501	
	HSOB 329-HIG 3 rows, 2-sided, 2x9 compartments	820 x 600 x 600	5372133600	5372133601	
	HSOB 3212-HIG 3 rows, 2-sided, 2x12 compartments	1,090 x 600 x 600	5372133700	5372133701	
	HSOB 3215-HIG 3 rows, 2-sided, 2x15 compartments	1,360 x 600 x 600	5372133800	5372133801	

Model	Designation	Dimensions LxWxH	Order no.		Price in €
			Colour White	Colour Grey	
 <p>Melamine sit-over bench, version with stainless steel plinth Material: melamine resin-coated particle board, seating surface made of melamine resin-coated particle board, customer-specific designs, including the size and distribution of compartments, numbering for personal allocation, pass-through flaps available on request</p> <p>Other dimensions available on request.</p>	HSOB 319 ED-HIG 3 rows, 1-sided, 9 compartments	820 x 450 x 600	5372196400	5372196401	
	HSOB 3112 ED-HIG 3 rows, 1-sided, 12 compartments	1,090 x 450 x 600	5372196500	5372196501	
	HSOB 3115 ED-HIG 3 rows, 1-sided, 15 compartments	1,360 x 450 x 600	5372196600	5372196601	
	HSOB 329 ED-HIG 3 rows, 2-sided, 2x9 compartments	820 x 600 x 600	5372196700	5372196701	
	HSOB 3212 ED-HIG 3 rows, 2-sided, 2x12 compartments	1,090 x 600 x 600	5372196800	5372196801	
	HSOB 3215 ED-HIG 3 rows, 2-sided, 2x15 compartments	1,360 x 600 x 600	5372196900	5372196901	

Dimensions in mm, prices in




KEK . THE FASCINATION OF STAINLESS STEEL



SIT-OVER BENCHES


made of stainless steel

Model	Designation	Dimensions LxWxH	Order no.	Price in €
 <p>Stainless steel sit-over bench</p> <p>With a cleanroom-appropriate seating surface made of stainless steel Material 1.4301, customer-specific designs, including the size and distribution of the compartments, numbering for personal allocation, pass-through flaps available on request</p> <p>Single-sided version with rear wall.</p> <p>Other dimensions available on request.</p>	ESOB 319-HIG 3 rows, 1-sided, 9 compartments	820 x 450 x 600	5370295700	
	ESOB 3112-HIG 3 rows, 1-sided, 12 compartments	1,090 x 450 x 600	5370295800	
	ESOB 3115-HIG 3 rows, 1-sided, 15 compartments	1,360 x 450 x 600	5370295900	
	ESOB 329-HIG 3 rows, 2-sided, 2x9 compartments	820 x 600 x 600	5370296000	
	ESOB 3212-HIG 3 rows, 2-sided, 2x12 compartments	1,090 x 600 x 600	5370296100	
	ESOB 3215-HIG 3 rows, 2-sided, 2x15 compartments	1,360 x 600 x 600	5370296200	

Model	Designation	Dimensions LxWxH	Order no.	Price in €
 <p>Stainless steel sit-over bench</p> <p>Basic material stainless steel 1.4301, with 4 legs made of square tube 40 x 40 mm with height-adjustable stainless steel feet, as well as 2 single-walled shoe shelves welded at an angle</p> <p>Other dimensions available on request</p>	ESOB-123-HIG	900 x 450 x 500	5372133000	
	ESOB-124-HIG	1,100 x 450 x 500	5372133100	
	ESOB-125-HIG	1,400 x 450 x 500	5372133200	




COAT RACKS

Model	Designation	Dimensions LxWxH	Order no.	Price in €
	Cleanroom coat rack Made of square tube STGAVK-HIG Coat rack comprising base frame and clothes hangers, material stainless steel (1.4301/AISI 304), clothes hangers permanently welded-in, base frame made of square tube, cross strut for increased stability, square tube profiles closed off with plastic caps (black) at the top, floor level compensation with disc-shaped feet made of CNS (+/- 10 mm) *Optional trim panels and/or assembly for fan filter units (FFU)	1,000 x 500 x 2,000 with 9 hangers	5370296400	
		1,300 x 500 x 2,000 with 12 hangers	5370296500	
		1,600 x 500 x 2,000 with 15 hangers	5370296600	

Other dimensions and designs with round tube profiles available on request.

WALL-MOUNTED COAT RACKS

Model	Designation	Dimensions LxWxH	Order no.	Price in €
	Cleanroom wall-mounted coat rack made of square tube WGA-HIG Coat rack comprising base frame and clothes hangers, material stainless steel (1.4301/AISI 304), clothes hangers permanently welded-in, base frame made of square tube, square tube profiles closed off with plastic caps (black), prepared for wall installation by the customer, 4x fastening holes closed off with plastic caps (black), without fastening materials	800 x 500 x 305 with 7 hangers	5372304000	
		900 x 500 x 305 with 8 hangers	5372304100	
		1,000 x 500 x 305 with 9 hangers	5372304200	
		1,100 x 500 x 305 with 10 hangers	5372304300	
		1,200 x 500 x 305 with 11 hangers	5372304400	

Other dimensions available on request.



Dimensions in mm, prices in €

KEK . THE FASCINATION OF STAINLESS STEEL





GENERAL INFORMATION

- All prices are subject to VAT at the legally applicable rate. With publication of this price list, any previously published price lists cease to be valid.
- We reserve the right to make changes as part of technical progress at any time. Errors excepted.
- Our prices are not binding and are subject to confirmation.
- Disposal of the packaging is handled via the Interseroh system. Corresponding contact information can be found at the home page at www.interseroh.de.
- KEK must be notified in writing of all goods returns. Return transport is at the cost and risk of the causer. After receipt of the goods and assessment of their condition, a credit note for the remaining value will be issued, from which a minimum of 15% of the net value of the goods will however be deducted.
- The carrier delivering the goods must be notified of any transport damage immediately upon receipt of the goods. The customer must refuse acceptance of the damaged goods. If this is not possible in exceptional cases (e.g. hidden transport damage), the goods can remain in their delivered state with packaging at the customer until the situation is clarified. However, we must be notified of the hidden damage within 5 working days. No replacement can be offered for transport damage that is not reported in time.
- All weights and dimensions specified are provided as guide values only. Minor colour deviations are possible.
- The transport, assembly and installation instructions enclosed with the products must always be complied with.
- All sales and deliveries are subject to our "General terms and conditions", which can be found on our website at: www.kek-dresden.com.

Custom-made products cannot be returned or exchanged.



CARE INSTRUCTIONS

Chrome-nickel steel

The three materials iron, chrome and nickel form the basis of this material. Chrome ensures that the material does not rust, and nickel provides it with the necessary elasticity required for shaping. This combination offers the following advantages:

- Resistance to many acids and alkaline solutions found in the home,
- Insusceptibility to heat, impact, abrasion and other mechanical influences,
- Hygienic, easy to care for and still looks great after many years

A so-called flash rust can occur, which is generally the result of external contamination.

Furniture particle board MFB EN 312 (P2)

Our cabinets are made of melamine resin-coated furniture particle board.

An accumulation of drops (standing water) can cause the material to swell. To avoid damaging the furniture, wipe it dry afterwards.

The ability of water to creep in or penetrate can also lead to damage. For this reason the connection area of the cover plate to other cabinets and wall surfaces must be sealed with silicone or other suitable sealing compounds.

For cleaning of the furniture, we recommend wiping them with a clean, damp cloth or using mild detergents. The use of cleaning agents containing alcohol or abrasive or sharp cleaning agents will cause the surface to become dull.

Terms and conditions of pricing and delivery

Unless indicated otherwise in our order confirmation, our prices are “ex works”.

Express deliveries and special sizes (from a length of 2,400 mm) are carried out on request. The transfer of risk takes place when the customer takes charge of the goods.



KEK GmbH

An der alten Köhlerei 2
01936 Laußnitz
Germany

Tel.: +49 35795 375-0
E-Mail: cleantec@kek-dresden.com
www.kek-dresden.com

